

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/808,124	03/24/2004	William Bedingham	56545US007	4531
32692 3M INNOVAT	7590 10/15/200 TVE PROPERTIES CO	EXAMINER		
PO BOX 3342	7	ALEXANDER, LYLE		
ST. PAUL, MN 55133-3427		ART UNIT	PAPER NUMBER	
			1797	
	•			
			NOTIFICATION DATE	DELIVERY MODE
			10/15/2007	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

LegalUSDocketing@mmm.com LegalDocketing@mmm.com

		Application No.	Applicant(s)			
Office Action Summary		10/808,124	BEDINGHAM ET AL.			
		Examiner	Art Unit			
		Lyle A. Alexander	1743			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SH WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period we are to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICA 16(a). In no event, however, may a replication of the community of t	ATION. y be timely filed S from the mailing date of this communication. DONED (35 U.S.C. § 133).			
Status						
2a)⊠	Responsive to communication(s) filed on <u>26 July 2007</u> . This action is FINAL . 2b) This action is non-final.					
٥,١	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Dienositi	ion of Claims		.,			
5)□ 6)⊠ 7)□	Claim(s) 1-19 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1-19 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or					
Applicati	on Papers					
10)□	The specification is objected to by the Examiner The drawing(s) filed on is/are: a) access applicant may not request that any objection to the conference of Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the Examiner.	epted or b) objected to by frawing(s) be held in abeyance on is required if the drawing(s)	e. See 37 CFR 1.85(a). is objected to. See 37 CFR 1.121(d).			
Priority ι	ınder 35 U.S.C. § 119					
a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori application from the International Bureau see the attached detailed Office action for a list of	have been received. have been received in App ty documents have been re (PCT Rule 17.2(a)).	elication No ceived in this National Stage			
2) 🔲 Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948)		Mail Date			
3) 🛛 Inforr	nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date <u>7/26/07;8/9/07</u> .		mal Patent Application			

Application/Control Number: 10/808,124

Art Unit: 1743

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-19 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-29 of U.S. Patent No. 6,720,187.

Although the conflicting claims are not identical, they are not patentably distinct from each other because both are directed to a sampling device having an input chamber and output chamber connected to each other by one or more chambers that are arranged in a circular arc.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Art Unit: 1743

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-19 are rejected under 35 U.S.C. 102(e) as being clearly anticipated by Kellogg et al. (USP 6,143,248).

See the appropriate paragraph of the 2/28/07 Office action.

Claims 1-19 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by WO99/58245 or EP 0693560.

The provisional applications 60/214,508; 60/214,642 and 60/237,151 were reviewed to determine if the limitations pertaining to the presently claimed rectangular body has the benefit of the any of the above provisional application earlier filing dates. The Office did not find support for the presently claimed rectangular in any of the above provisional applications. The Office is assuming the earliest possible priority date corresponds to 1/6/2001 of the provisional application 60/260,063.

WO99/58245 teaches on page 10 line 25 through page 11 line 19 a sample inlet (20), a reaction area (14) and a waste chamber (19) which have been read on the claimed "input", "primary process chamber" and "output chamber" respectively. Figure 2 shows the array in a rectangular "6X5 arrays".

Art Unit: 1743

EP 0693560 teaches rectangular test units (44) that are placed on a circular centrifugal disk. Column 9 lines 22+ described the test units (44) comprising wells (50,60,62) in fluidic connection which have been read on the claimed "input", "primary process chamber" and "output chamber" respectively.

Response to Arguments

Applicant's arguments filed 7/26/07 have been fully considered but they are not persuasive.

Applicants' state Kellogg et al. fails to teach the claimed "rectangular body". The Office has read the claim language "rectangular body" as a body generally having right angles or mutually perpendicular axes. The Office maintains figure 12 shows a rectangular body with plural processing arrays.

Applicants' state Kellogg et al. does not teach output and input chamber of the process arrays of the plurality of process that are arranged in a rectilinear grid array as recited in the pending claims.

Kellogg et al. teach a common input chamber "A", a plurality of capillary chambers "B", a second chamber "E" all connected to an overflow chamber "D". The claimed "rectangular body" has been read on the structure shown on the rotor in figure 12 that is generally rectangular.

Conclusion

Applicant's submission of an information disclosure statement under 37 CFR 1.97(c) with the fee set forth in 37 CFR 1.17(p) on 7/27/07 prompted the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE**

FINAL. See MPEP § 609.04(b). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lyle A. Alexander whose telephone number is 571-272-1254. The examiner can normally be reached on Monday, Wednesday and Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on 571-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/808,124

Art Unit: 1743

Page 6

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Lyle A Alexander Primary Examiner Art Unit 1743